



Preisliste  
**TONDO/C**  
 Juli 2020

Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
<b>TONDO/C zum horizontalen Aufhängen</b>				
2564601	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 100°, weiss	689.50
2564601-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, DALI, 100°, weiss	987.50
2564601-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, weiss	1'058.50
2564601-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, RF2.4G weiss	972.50
2564601-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 0-10V, 100°, weiss	949.00
2564602	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 100°, weiss	689.50
2564602-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, DALI, 100°, weiss	987.50
2564602-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 0-10V, 100°, weiss	949.00
2564603	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 100°, weiss	689.50
2564603-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, DALI, 100°, weiss	987.50
2564603-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 0-10V, 100°, weiss	949.00
2564604	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 100°, schwarz	689.50
2564604-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, DALI, 100°, schwarz	987.50
2564604-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, sw	1'058.50
2564604-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, schwarz	972.50
2564604-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 0-10V, 100°, schwarz	949.00
2564605	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 100°, schwarz	689.50
2564605-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, DALI, 100°, schwarz	987.50
2564605-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 0-10V, 100°, schwarz	949.00
2564606	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 100°, schwarz	689.50
2564606-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, DALI, 100°, schwarz	987.50
2564606-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 0-10V, 100°, schwarz	949.00
2564607	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 100°, silber	689.50
2564607-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, DALI, 100°, silber	987.50
2564607-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, silber	1'058.50
2564607-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700-6000K, silber	972.50
2564607-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 2700K, 0-10V, 100°, silber	949.00
2564608	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 100°, silber	689.50
2564608-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, DALI, 100°, silber	987.50
2564608-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 3000K, 0-10V, 100°, silber	949.00
2564609	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 100°, silber	689.50
2564609-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, DALI, 100°, silber	987.50
2564609-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, horiz., 36W	3960 lm, 4000K, 0-10V, 100°, silber	949.00
2564611	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 100°, weiss	1'406.50
2564611-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI, 100°, weiss	1'726.50
2564611-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI DT8, 100°, weiss	1'843.00
2564611-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700-6000K, RF2.4G, weiss	1'707.00
2564611-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 0-10V, 100°, weiss	1'691.00
2564612	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 100°, weiss	1'406.50
2564612-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, DALI, 100°, weiss	1'726.50
2564612-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 0-10V, 100°, weiss	1'691.00
2564613	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 100°, weiss	1'406.50
2564613-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, DALI, 100°, weiss	1'726.50
2564613-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 0-10V, 100°, weiss	1'691.00
2564614	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 100°, schwarz	1'406.50
2564614-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI, 100°, schwarz	1'726.50
2564614-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI DT8, 100°, schwarz	1'843.00
2564614-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700-6000K, schwarz	1'707.00
2564614-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 0-10V, 100°, schwarz	1'691.00
2564615	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 100°, schwarz	1'406.50
2564615-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, DALI, 100°, schwarz	1'726.50
2564615-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 0-10V, 100°, schwarz	1'691.00
2564616	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 100°, schwarz	1'406.50
2564616-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, DALI, 100°, schwarz	1'726.50
2564616-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 0-10V, 100°, schwarz	1'691.00
2564617	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 100°, silber	1'406.50
2564617-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI, 100°, silber	1'726.50

Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2564617-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, DALI DT8, 100°, silber	1'843.00
2564617-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700-6000K, silber	1'707.00
2564617-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 2700K, 0-10V, 100°, silber	1'691.00
2564618	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 100°, silber	1'406.50
2564618-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, DALI, 100°, silber	1'726.50
2564618-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 3000K, 0-10V, 100°, silber	1'691.00
2564619	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 100°, silber	1'406.50
2564619-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, DALI, 100°, silber	1'726.50
2564619-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, horiz., 48W	5280 lm, 4000K, 0-10V, 100°, silber	1'691.00
2564621	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 100°, weiss	1'912.50
2564621-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, DALI, 100°, weiss	2'289.00
2564621-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, weiss	2'455.00
2564621-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, RF2.4G, weiss	2'213.50
2564621-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 0-10V, 100°, weiss	2'241.50
2564622	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 100°, weiss	1'912.50
2564622-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, DALI, 100°, weiss	2'289.00
2564622-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 0-10V, 100°, weiss	2'241.50
2564623	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 100°, weiss	1'912.50
2564623-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, DALI, 100°, weiss	2'289.00
2564623-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 0-10V, 100°, weiss	2'241.50
2564624	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 100°, schwarz	1'912.50
2564624-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, DALI, 100°, schwarz	2'289.00
2564624-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, schwarz	2'455.00
2564624-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, schwarz	2'213.50
2564624-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 0-10V, 100°, schwarz	2'241.50
2564625	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 100°, schwarz	1'912.50
2564625-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, DALI, 100°, schwarz	2'289.00
2564625-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 0-10V, 100°, schwarz	2'241.50
2564626	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 100°, schwarz	1'912.50
2564626-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, DALI, 100°, schwarz	2'289.00
2564626-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 0-10V, 100°, schwarz	2'241.50
2564627	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 100°, silber	1'912.50
2564627-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, DALI, 100°, silber	2'289.00
2564627-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, silber	2'455.00
2564627-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700-6000K, silber	2'213.50
2564627-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 2700K, 0-10V, 100°, silber	2'241.50
2564628	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 100°, silber	1'912.50
2564628-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, DALI, 100°, silber	2'289.00
2564628-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 3000K, 0-10V, 100°, silber	2'241.50
2564629	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 100°, silber	1'912.50
2564629-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, DALI, 100°, silber	2'289.00
2564629-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, horiz., 72W	7920 lm, 4000K, 0-10V, 100°, silber	2'241.50
2564631	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 100°, weiss	2'825.50
2564631-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, DALI, 100°, weiss	3'022.00
2564631-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, weiss	3'227.00
2564631-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, RF2.4G, weiss	2'978.00
2564631-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 0-10V, 100°, weiss	2'968.00
2564632	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 100°, weiss	2'825.50
2564632-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, DALI, 100°, weiss	3'022.00
2564632-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 0-10V, 100°, weiss	2'968.00
2564633	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 100°, weiss	2'825.50
2564633-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, DALI, 100°, weiss	3'022.00
2564633-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 0-10V, 100°, weiss	2'968.00
2564634	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 100°, schwarz	2'825.50
2564634-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, DALI, 100°, schwarz	3'022.00
2564634-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, schwarz	3'227.00
2564634-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, schwarz	2'978.00
2564634-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 0-10V, 100°, schwarz	2'968.00
2564635	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 100°, schwarz	2'825.50
2564635-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, DALI, 100°, schwarz	3'022.00
2564635-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 0-10V, 100°, schwarz	2'968.00
2564636	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 100°, schwarz	2'825.50
2564636-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, DALI, 100°, schwarz	3'022.00
2564636-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 0-10V, 100°, schwarz	2'968.00
2564637	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 100°, silber	2'825.50
2564637-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, DALI, 100°, silber	3'022.00

Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2564637-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, silber	3'227.00
2564637-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700-6000K, silber	2'978.00
2564637-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 2700K, 0-10V, 100°, silber	2'968.00
2564638	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 100°, silber	2'825.50
2564638-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, DALI, 100°, silber	3'022.00
2564638-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 3000K, 0-10V, 100°, silber	2'968.00
2564639	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 100°, silber	2'825.50
2564639-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, DALI, 100°, silber	3'022.00
2564639-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, horiz., 90W	9900 lm, 4000K, 0-10V, 100°, silber	2'968.00
2564641	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 100°, weiss	3'022.00
2564641-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, DALI, 100°, weiss	3'259.50
2564641-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, weiss	3'452.00
2564641-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, weiss	3'227.00
2564641-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 0-10V, 100°, weiss	3'217.00
2564642	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 100°, weiss	3'022.00
2564642-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, DALI, 100°, weiss	3'259.50
2564642-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 0-10V, 100°, weiss	3'217.00
2564643	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 100°, weiss	3'022.00
2564643-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, DALI, 100°, weiss	3'259.50
2564643-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 0-10V, 100°, weiss	3'217.00
2564644	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 100°, schwarz	3'022.00
2564644-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, DALI, 100°, schwarz	3'259.50
2564644-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, schwarz	3'452.00
2564644-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, schwarz	3'227.00
2564644-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 0-10V, 100°, schwarz	3'217.00
2564645	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 100°, schwarz	3'022.00
2564645-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, DALI, 100°, schwarz	3'259.50
2564645-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 0-10V, 100°, schwarz	3'217.00
2564646	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 100°, schwarz	3'022.00
2564646-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, DALI, 100°, schwarz	3'259.50
2564646-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 0-10V, 100°, schwarz	3'217.00
2564647	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 100°, silber	3'022.00
2564647-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, DALI, 100°, silber	3'259.50
2564647-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, silber	3'452.00
2564647-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700-6000K, silber	3'227.00
2564647-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 2700K, 0-10V, 100°, silber	3'217.00
2564648	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 100°, silber	3'022.00
2564648-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, DALI, 100°, silber	3'259.50
2564648-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 3000K, 0-10V, 100°, silber	3'217.00
2564649	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 100°, silber	3'022.00
2564649-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, DALI, 100°, silber	3'259.50
2564649-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, horiz., 110W	12100 lm, 4000K, 0-10V, 100°, silber	3'217.00
<b>TONDO/C zum vertikalen Aufhängen</b>				
2564701	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 100°, weiss	689.50
2564701-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, DALI, 100°, weiss	987.50
2564701-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, weiss	1'058.50
2564701-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, weiss	972.50
2564701-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 0-10V, 100°, weiss	949.00
2564702	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 100°, weiss	689.50
2564702-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, DALI, 100°, weiss	987.50
2564702-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 0-10V, 100°, weiss	949.00
2564703	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 100°, weiss	689.50
2564703-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, DALI, 100°, weiss	987.50
2564703-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 0-10V, 100°, weiss	949.00
2564704	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 100°, schwarz	689.50
2564704-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, DALI, 100°, schwarz	987.50
2564704-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, schwarz	1'058.50
2564704-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, schwarz	972.50
2564704-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 0-10V, 100°, schwarz	949.00
2564705	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 100°, schwarz	689.50
2564705-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, DALI, 100°, schwarz	987.50
2564705-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 0-10V, 100°, schwarz	949.00
2564706	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 100°, schwarz	689.50
2564706-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, DALI, 100°, schwarz	987.50
2564706-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 0-10V, 100°, schwarz	949.00



Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2564707	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 100°, silber	689.50
2564707-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, DALI, 100°, silber	987.50
2564707-DT8	PNXT5036D2	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, DALI DT8, 100°, silber	1'058.50
2564707-RF	PNXT5036RF	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700-6000K, silber	972.50
2564707-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 2700K, 0-10V, 100°, silber	949.00
2564708	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 100°, silber	689.50
2564708-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, DALI, 100°, silber	987.50
2564708-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 3000K, 0-10V, 100°, silber	949.00
2564709	PNXT5036	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 100°, silber	689.50
2564709-D	PNXT5036D	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, DALI, 100°, silber	987.50
2564709-V	PNXT5036V	ProLuce® LED Panel TONDO/C Ø507 mm, vert., 36W	3960 lm, 4000K, 0-10V, 100°, silber	949.00
2564711	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 100°, weiss	1'406.50
2564711-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, DALI, 100°, weiss	1'726.50
2564711-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, DALI DT8, 100°, weiss	1'843.00
2564711-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, weiss	1'707.00
2564711-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 0-10V, 100°, weiss	1'691.00
2564712	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 100°, weiss	1'406.50
2564712-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, DALI, 100°, weiss	1'726.50
2564712-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 0-10V, 100°, weiss	1'691.00
2564713	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 100°, weiss	1'406.50
2564713-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, DALI, 100°, weiss	1'726.50
2564713-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 0-10V, 100°, weiss	1'691.00
2564714	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 100°, schwarz	1'406.50
2564714-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, DALI, 100°, schwarz	1'726.50
2564714-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, DALI DT8, 100°, schwarz	1'843.00
2564714-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, schwarz	1'707.00
2564714-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 0-10V, 100°, schwarz	1'691.00
2564715	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 100°, schwarz	1'406.50
2564715-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, DALI, 100°, schwarz	1'726.50
2564715-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 0-10V, 100°, schwarz	1'691.00
2564716	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 100°, schwarz	1'406.50
2564716-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, DALI, 100°, schwarz	1'726.50
2564716-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 0-10V, 100°, schwarz	1'691.00
2564717	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 100°, silber	1'406.50
2564717-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, DALI, 100°, silber	1'726.50
2564717-DT8	PNXT7060D2	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, DALI DT8, 100°, silber	1'843.00
2564717-RF	PNXT7060RF	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700-6000K, silber	1'707.00
2564717-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 2700K, 0-10V, 100°, silber	1'691.00
2564718	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 100°, silber	1'406.50
2564718-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, DALI, 100°, silber	1'726.50
2564718-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 3000K, 0-10V, 100°, silber	1'691.00
2564719	PNXT7060	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 100°, silber	1'406.50
2564719-D	PNXT7060D	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, DALI, 100°, silber	1'726.50
2564719-V	PNXT7060V	ProLuce® LED Panel TONDO/C Ø704 mm, vert., 48W	5280 lm, 4000K, 0-10V, 100°, silber	1'691.00
2564721	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 100°, weiss	1'912.50
2564721-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, DALI, 100°, weiss	2'289.00
2564721-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, weiss	2'455.00
2564721-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, weiss	2'213.50
2564721-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 0-10V, 100°, weiss	2'241.50
2564722	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 100°, weiss	1'912.50
2564722-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, DALI, 100°, weiss	2'289.00
2564722-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 0-10V, 100°, weiss	2'241.50
2564723	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 100°, weiss	1'912.50
2564723-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, DALI, 100°, weiss	2'289.00
2564723-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 0-10V, 100°, weiss	2'241.50
2564724	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 100°, schwarz	1'912.50
2564724-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, DALI, 100°, schwarz	2'289.00
2564724-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, schwarz	2'455.00
2564724-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, schwarz	2'213.50
2564724-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 0-10V, 100°, schwarz	2'241.50
2564725	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 100°, schwarz	1'912.50
2564725-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, DALI, 100°, schwarz	2'289.00
2564725-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 0-10V, 100°, schwarz	2'241.50
2564726	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 100°, schwarz	1'912.50
2564726-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, DALI, 100°, schwarz	2'289.00
2564726-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 0-10V, 100°, schwarz	2'241.50

Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2564727	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 100°, silber	1'912.50
2564727-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, DALI, 100°, silber	2'289.00
2564727-DT8	PNXT9072D2	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, DALI DT8, 100°, silber	2'455.00
2564727-RF	PNXT9072RF	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700-6000K, silber	2'213.50
2564727-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 2700K, 0-10V, 100°, silber	2'241.50
2564728	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 100°, silber	1'912.50
2564728-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, DALI, 100°, silber	2'289.00
2564728-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 3000K, 0-10V, 100°, silber	2'241.50
2564729	PNXT9072	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 100°, silber	1'912.50
2564729-D	PNXT9072D	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, DALI, 100°, silber	2'289.00
2564729-V	PNXT9072V	ProLuce® LED Panel TONDO/C Ø900 mm, vert., 72W	7920 lm, 4000K, 0-10V, 100°, silber	2'241.50
2564731	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 100°, weiss	2'825.50
2564731-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, DALI, 100°, weiss	3'022.00
2564731-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, weiss	3'227.00
2564731-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, weiss	2'978.00
2564731-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 0-10V, 100°, weiss	2'968.00
2564732	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 100°, weiss	2'825.50
2564732-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, DALI, 100°, weiss	3'022.00
2564732-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 0-10V, 100°, weiss	2'968.00
2564733	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 100°, weiss	2'825.50
2564733-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, DALI, 100°, weiss	3'022.00
2564733-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 0-10V, 100°, weiss	2'968.00
2564734	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 100°, schwarz	2'825.50
2564734-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, DALI, 100°, schwarz	3'022.00
2564734-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, schwarz	3'227.00
2564734-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, schwarz	2'978.00
2564734-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 0-10V, 100°, schwarz	2'968.00
2564735	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 100°, schwarz	2'825.50
2564735-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, DALI, 100°, schwarz	3'022.00
2564735-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 0-10V, 100°, schwarz	2'968.00
2564736	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 100°, schwarz	2'825.50
2564736-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, DALI, 100°, schwarz	3'022.00
2564736-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 0-10V, 100°, schwarz	2'968.00
2564737	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 100°, silber	2'825.50
2564737-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, DALI, 100°, silber	3'022.00
2564737-DT8	PNXT1090D2	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, DALI DT8, 100°, silber	3'227.00
2564737-RF	PNXT1090RF	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700-6000K, silber	2'978.00
2564737-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 2700K, 0-10V, 100°, silber	2'968.00
2564738	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 100°, silber	2'825.50
2564738-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, DALI, 100°, silber	3'022.00
2564738-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 3000K, 0-10V, 100°, silber	2'968.00
2564739	PNXT1090	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 100°, silber	2'825.50
2564739-D	PNXT1090D	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, DALI, 100°, silber	3'022.00
2564739-V	PNXT1090V	ProLuce® LED Panel TONDO/C Ø1000 mm, vert., 90W	9900 lm, 4000K, 0-10V, 100°, silber	2'968.00
2564741	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 100°, weiss	3'022.00
2564741-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, DALI, 100°, weiss	3'259.50
2564741-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, weiss	3'452.00
2564741-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, weiss	3'227.00
2564741-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 0-10V, 100°, weiss	3'217.00
2564742	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 100°, weiss	3'022.00
2564742-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, DALI, 100°, weiss	3'259.50
2564742-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 0-10V, 100°, weiss	3'217.00
2564743	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 100°, weiss	3'022.00
2564743-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, DALI, 100°, weiss	3'259.50
2564743-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 0-10V, 100°, weiss	3'217.00
2564744	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 100°, schwarz	3'022.00
2564744-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, DALI, 100°, schwarz	3'259.50
2564744-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, schwarz	3'452.00
2564744-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, schwarz	3'227.00
2564744-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 0-10V, 100°, schwarz	3'217.00
2564745	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 100°, schwarz	3'022.00
2564745-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, DALI, 100°, schwarz	3'259.50
2564745-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 0-10V, 100°, schwarz	3'217.00
2564746	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 100°, schwarz	3'022.00
2564746-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, DALI, 100°, schwarz	3'259.50
2564746-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 0-10V, 100°, schwarz	3'217.00

Best.-Nr.	Artikel-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2564747	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 100°, silber	3'022.00
2564747-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, DALI, 100°, silber	3'259.50
2564747-DT8	PNXT0110D2	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, DALI DT8, 100°, silber	3'452.00
2564747-RF	PNXT0110RF	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700-6000K, silber	3'227.00
2564747-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 2700K, 0-10V, 100°, silber	3'217.00
2564748	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 100°, silber	3'022.00
2564748-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, DALI, 100°, silber	3'259.50
2564748-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 3000K, 0-10V, 100°, silber	3'217.00
2564749	PNXT0110	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 100°, silber	3'022.00
2564749-D	PNXT0110D	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, DALI, 100°, silber	3'259.50
2564749-V	PNXT0110V	ProLuce® LED Panel TONDO/C Ø1200 mm, vert., 110W	12100 lm, 4000K, 0-10V, 100°, silber	3'217.00